

# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 1SM (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING STANDARD ORDER:
- When placing orders for Helicopters note that sea water is the only water source.
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- If Avail., CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV, TO REPORT TO Casitas Station.
- CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:
- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- Order T2 CWN Module
- Order H530 as temporary CWN module until module can arrive
- Consider a human repeater
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver

to pickup and transport.

-Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 2SR (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING STANDARD ORDER:
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV, TO REPORT TO Casitas Station.
- If Avail., CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:
- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- Order T2 CWN Module
- Order H530 as temporary CWN module until module can arrive
- Consider a human repeater
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- When placing orders for Helicopters note that sea water is the only water source.
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver

to pickup and transport.

-Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 3SC (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- Order T2 CWN Module
- Order H530 as temporary CWN module until module can arrive
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver to pickup and transport.
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV, TO REPORT TO Casitas Station.
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- If Avail., CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING STANDARD ORDER:

## -CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:

- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- Consider a human repeater
- When placing orders for Helicopters note that sea water is the only water source.
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.

- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 4AN (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- Order T2 CWN Module
- Order H530 as temporary CWN module until module can arrive
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver to pickup and transport.
- When placing orders for Helicopters note that sea water is the only water source.
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- If Avail.,CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV,TO REPORT TO Casitas Station.
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING

### STANDARD ORDER:

### -CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:

- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- Consider a human repeater
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.

**-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.**  
**-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.**



# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 5SN (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- Order H530 as temporary CWN module until module can arrive
- Order T2 CWN Module
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver to pickup and transport.
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- If Avail.,CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV,TO REPORT TO Casitas Station.
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING STANDARD ORDER:

## -CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:

- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- Consider a human repeater
- When placing orders for Helicopters note that sea water is the only water source.
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.

**-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.**  
**-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.**

# *WildCAD Run Card*

*CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)*

Area 6SB (CNP)

## Low Response

AIR ATTACK (1):	AA07LPF
HELICOPTER (1):	HEL528LPF
CREWS (1):	CRW4LPF
OVERHEAD (1):	BC51LPF

## Moderate Response

## High Response

## 2nd Alarm

## MA Response w/ FS DPA

## 4th Alarm

- CNP DPA, LPF is the Ordering Point
- Command Net: Forest 164.9125 tx 170.4625 rx plus Tone \_\_\_\_ OR Admin. Net 164.1500 tx 171.5500 rx plus Tone \_\_\_\_
- A/T = 168.3125 primary, 169.1750 secondary, A/G = 167.475, VHF = based on ATB zone of influence
- Tactical Frequency Rx168.200 Tx172.350
- Tactical NIFC TAC3 (R5 Crew Net) 170.4750 tx and rx
- CNP Frequencies: 171.700 direct, 168.6125 NPS Crew Net
- Order two satellite phones - one for IC & one for Logistics
- Order from CNP 1 FINV(T)
- Order T2 CWN Module
- Order H530 as temporary CWN module until module can arrive
- Order F3/F4 Repeater w/operator from CD report to Casitas Sta., 172.350(tx), 170.475(rx), tone 151.4
- Order Logistical Support. Atleast a person with a VISA for meals and fluids, and a driver to pickup and transport.
- If H528 and/or H527 is u/a Order 1 T2 Helicopter over water capable (prefer Aspen)
- Aspen Helicopters has CWN Helicopters FS carded to fly and transport personnel across bodies of water.
- Have Crew, AA, AT, Helicopter and CO etc. report to Casitas Station
- If Avail.,CNP will respond a Res. Advisor to Casitas Sta. to accompany the AA and CO on recon flight
- LPF will order a Line ARCH, LSC2, HEB1 OR HEB2, FINV,TO REPORT TO Casitas Station.
- UPON NOTIFICATION FROM CNP, THE LPF WILL EXERCISE THE FOLLOWING

## STANDARD ORDER:

## -CNP/LPF BACK-UP CONTINGENCY PLAN IS AS FOLLOWS:

- If Casitas is fogged in, utilize WJF for AT reload, IZA for helibase and light aircraft ops.
- Consider a human repeater
- When placing orders for Helicopters note that sea water is the only water source.
- NPS Duty Officer will respond to accompany the AA and CO on the recon flight.

- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.